

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64	(multiple or plural) adj load adj (instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:55
L2	699787	random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:31
L3	1	11 same l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:32
L4	0	encrypt\$3 same l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:33
L5	30748	(multiple or plural) adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51
L6	5326	chaotic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:50
L7	723	15 same l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:50
L8	264475	l2 with (memory or storage or register or buffer or ram or dram or sdram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51

L9	395	15 same 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51
L10	761	(multiple or plural) adj data adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:52
L11	6	110 same 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:52
L12	9	(multiple or plural) adj move adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:59
L13	14409	no\$1 adj (sequential\$2 or contiguous\$2 or serial\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:01
L14	1	11 same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02
L15	1	110 same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02
L16	0	112 same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02



Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Edit an existing query or  
compose a new query in the  
Search Query Display.

Wed, 16 Nov 2005, 10:07:31 AM EST

RGB

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1

(((((multiple or multi or plural) <near/2> (load or move or copy)  
<near/2> (operation or transfer or instruction or opcode or op-  
code)) and (random\* or non-sequential\* or non-contiguous\* or  
non-serial))<in>metadata)

0

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	89	multi adj (load or move or data or copy) adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:08
L2	699787	random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:10
L3	14409	no\$1 adj (sequential\$2 or contiguous\$2 or serial\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:14
L4	0	11 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:14
L5	0	11 same 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:14